

L Number	Hits	Search Text	DB	Time stamp
-	353	717/166.ccls. and destructible OR destructable	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 15:53
-	1	717/166.ccls. and (destructible OR destructable)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 15:54
-	1	717/165-166.ccls. and (destructible OR destructable)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 15:54
-	1	717/165-166.ccls. and (temporary with (class\$1loader OR (class adj loader)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 15:56
-	30	717/165-166.ccls. and (java with (class\$1loader OR (class adj loader)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 14:39
-	14	"Java Dynamic Class Loader"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 16:06
-	11	717/165-166.ccls. and (java same (dynamic OR un\$1interrupted) same (class\$1loader OR (class adj loader)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 12:09
-	24	717/165-166.ccls. and (load same class\$2 same (dynamic\$4 OR continuous\$2 OR un\$1interrupt\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 16:49
-	8	717/165-166.ccls. and (creat\$3 same new same (class\$1loader OR (class adj loader)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 16:51
-	2	destructible adj class\$1loader	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 11:03
-	10	("5247681" "5369766" "5410698" "5802367" "5923878" "5966542" "5983021" "6072953" "6112025" "6279030").PN.	USPAT	2004/02/02 16:53

-	2	destructible with class\$1loader	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 11:03
-	2	destructible with (class\$1loader or (class adj loader))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 11:18
-	52	exten\$5 with (class\$1loader or (class adj loader))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 15:06
-	96	719/332.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 11:58
-	43	719/332.ccls. and Java	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 11:59
-	12	(719/332.ccls. and Java) and (class\$1loader OR (class adj loader))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 12:00
-	0	un\$1interrupt\$4 same (class\$1loader OR (class adj loader)) and java	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 12:08
-	5	\$2interrupt\$4 same (class\$1loader OR (class adj loader)) and java	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 12:18
-	11	717/165-166.ccls. and (java same (dynamic OR un\$1interrupted) same (class\$1loader OR (class adj loader)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 12:09
-	45	schema adj evolution	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 12:18
-	9	(schema adj evolution) and java	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 12:38

-	6	re\$1load\$3 same classes same running and class\$1loader	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 13:49
-	0	spoof same class same loader	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 13:50
-	1	spoof same class\$1loader	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 13:50
-	2	spoof\$3 same class\$1loader	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 14:11
-	142	dynamic\$4 same modify\$3 same class and java	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 14:12
-	48	(dynamic\$4 same modify\$3 same class and java) and (717.clas. OR 719.clas.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 14:12
-	4	((dynamic\$4 same modify\$3 same class and java) and (717.clas. OR 719.clas.)) and class\$1loader	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 14:54
-	1	third with class\$1loader	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 14:18
-	6	(sub\$1classes) with (class\$1loader OR (class adj loader))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 14:19
-	5	(sub\$1classes) with (class\$1loader OR (system adj loader))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 14:19
-	0	(sub\$1classes) with (system\$1loader OR (system adj loader))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 14:20

-	0	(sub\$1class) with (system\$1loader OR (system adj loader))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 14:20
-	21	(sub\$1class) with (class\$1loader OR (class adj loader))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 14:38
-	4	bootstrap with classloader	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 14:55
-	4	6072953.URPN.	USPAT	2004/02/03 15:00
-	15	\$3load\$3 same class\$2 same without same stop\$3 same program	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 15:08
-	0	\$3load\$3 same class\$2 same without same interrupt\$3 same execution	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 15:10
-	7	\$3load\$3 same interrupt\$3 same execution	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 15:08
-	4	without same interrupt\$3 same execution	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 15:09
-	13	load\$3 same class\$2 same without same stop\$3 same program	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 15:08
-	1	class same interrupt\$3 same execution	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 15:09
-	275	class same interrupt\$3 same execution	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 15:09
-	10	\$3load\$3 same class\$2 same without same interrupt\$3 same execution	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 15:10

-	39	class\$2 same without same interrupt\$3 same execution	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 15:52
-	12	717/165-166.ccls. and class\$1loader	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 16:06
-	82	717/165-166.ccls. and Java	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 16:06
-	2	(717/165-166.ccls. and Java) and (restart OR (shut adj down)) with without	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 16:07
-	4	(717/165-166.ccls. and Java) and (restart OR (shut adj down))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 16:07
-	2	717/165-166.ccls. and (sub\$1class with (class\$1loader OR (class adj loader)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 14:47
-	21	(sub\$1class with (class\$1loader OR (class adj loader)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 14:47
-	85	(modify\$3 OR chang\$3) same classes same run\$1time same during	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 12:35
-	63	(717/165-166.ccls. OR 719/332.ccls.) and (((run\$1time OR execution) with (during OR at)) same class)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 12:44
-	5	(US-5410698-\$ or US-6675381-\$ or US-6072953-\$ or US-6470494-\$).did. or (NN9611107).tban.	USPAT; IBM_TDB	2004/02/05 17:20
-	1	((US-5410698-\$ or US-6675381-\$ or US-6072953-\$ or US-6470494-\$).did. or (NN9611107).tban.) and (web with server)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 17:36
-	2	717/166.ccls. and (bootstrap same extensions)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 17:37